

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Tues	Ketamine	70% Procaine and 30% Ketamine	Powder	Procaine or "Novacaine" is a local anesthetic commonly used at the dentist
Tues	MDMA	MDPV	Pink diamond rectangular press tab	MDPV is a cathinone, which are stimulants, sometimes sold as "bath salts".
Tues	MDMA	MDA	Brown crystals (purchased on-site)	More stimulating and psychedelic properties than MDMA, and also more neurotoxic.
Tues	Cocaine	Cocaine and Mephedrone	Solid crumbly block	Mephedrone is a synthetic stimulant in the amphetamine and cathinone family. Check inside to learn more.
Tues	Ketamine	Ketamine and MDMA	Powder / crystals from Edmonton	MDMA and ketamine have very different effects. This is why you check your stuff!
Wed	2CB	DOB	Sold as "2CB", unknown	DOB is a long lasting (8-24 hours) psychedelic and much more potent than 2CB, with a risk of overdose over 3mg. Start with less than 1 mg (very hard to measure).
Wed	MDMA	BZP	Unknown	More similar to amphetamine in effect. Lasts 6-8 hours. 70-150 mg is a standard dose. Beware of overheating.
Wed	MDMA	MDMA and Triethanolamine	Brown Crystal	A common cutting agent – can have toxic effects over long term use, can cause irritation in the throat, eyes, and nose.
Wed	Cocaine	More Benzocaine than Cocaine	White semi solid powder	Benzocaine can risk pulmonary aspiration by relaxing the gag reflex and allowing vomit in the airways.
Wed	Ketamine	Ketamine and MSM	Yellow radioactive symbols	MSM is a nutritional supplement and cutting agent with limited evidence for negative side effects.
Wed	MDMA and MDA	MDMA and MDEA	Blue gold crown bag. Written in sharpie 50mg MDA, 60 mg MDMA.	Not much research done for MDEA. Start with low doses.

Check us out!

ankorsvolunteer.com

ankors.bc.ca

IG: [@ankorsbc](https://www.instagram.com/ankorsbc)

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Wed	MDMA	MDMA (40%) and Caffeine (60%)	Clear Capsule	Combining stimulants, including caffeine, can increase risk of overdose and cardiac events (heart attack).
Wed	Ketamine	Ketamine and Cyclobenzaprine (Galactose)	Cloudy White Coarse Crystals	This cutting agent is a muscle relaxer medication and can cause drowsiness, dry mouth, dizziness, and in rare cases dysphagia (difficulty swallowing, very rare).
Wed	MDMA	Caffeine Only	Multiple cases of gel cap with very white powder	Drug prohibition leads to unpredictable substitutions. Mixing uppers can increase risk. Please check with info table staff about drug combos
Wed	MDMA	5-MEO-AMT	White powder in a gel-cap. Tested in 3 different samples!	A psychedelic tryptamine compound that is very potent. Known to cause seizures if taken in high doses.
Wed	MDMA	MDMA (40%) and Caffeine (60%)	Clear Capsule	Combining stimulants can increase risk for heart attack and overdose.
Wed	Ketamine	Ketamine and MSM	Clear baggy with red lips	MSM is a nutritional supplement and cutting agent with limited evidence for negative side effects.
Wed	Ketamine	Ketamine and Benzocaine	Clear baggy with green alien	Benzocaine – brand name “Orajel”. Local anesthetic used as a topical pain reliever and numbing agent.
Wed	Cocaine	70% Inositol and 30% Cocaine	Found onsite. Green weed plant baggy	Inositol is a sugar alcohol used to “buff” the appearance of cocaine. Be sure to rinse your nasal cavity with saline solution available at ANKORS.order.
Wed	2C Family	3-MeO-PCP	Clear Gel Cap	3-MeO-PCP is a dissociative hallucinogen please check the info table for more information!
Thurs	Cocaine	Cocaine and Phenacetin	White powder	Common cutting agent often seen in cocaine – can lead to kidney failure after long term use; Found in many samples
Thurs	MDMA	Phenylephrine	Clear tan crystals	Phenylephrine is an OTC decongestant - may cause dangerous increase in blood pressure. Not psychoactive.
Thurs	MDMA	MDMA & Alpha-alpha-alpha-trifluoro-m-tolyl-piperazine (TFMPP)	Chunky off-white powder	MDMA cut with piperazine can cause unpleasant effects. Check info table for piperazine info.

Check us out!

ankorsvolunteer.com

ankors.bc.ca

IG: @ankorsbc

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Thurs	MDMA	MDA	Bit rocky, dime bag – black spades	MDA has a much lower effective dosage than MDMA. Start small, half of what you think.
Thurs	MDMA	MDMA-like substance and Caffeine	White powder/crystals	Combining stimulants can increase risk for heart attack and overdose.
Thurs	MDMA	MDA	White crystals in big red gel capsule	More psychedelic and also neurotoxic than MDMA. Duration 3-6 hours.
Thurs	Cocaine	Cocaine and Creatine	Powder/Crystals	Creatine is a bodybuilding supplement.
Thurs	MDMA	Ethylone	Beige large crystals	Ethylone is a cathinone, which is a stimulant, sometimes sold as “bath salts”
Thurs	MDMA	Cocaine	Blue star bag, big chalky crystals	Very different drugs, heads up - mistakes happen!
Thurs	Cocaine	Cocaine and Ephedrine	White powder	Combining stimulants can increase risk for heart attack and overdose.
Thurs	Ketamine	Ketamine and Oxycodone	Cloudy white crystal	Increased potential for sedative effects and respiratory depression
Thurs	MDMA	50% Procaine and 50% MDMA	Red bull dog baggy	Procaine is a local anesthetic / numbing agent
Thurs	MDMA	MDMA and Xylazine	Unknown	Xylazine is a local anesthetic / numbing agent
Thurs	Cocaine	Lidocaine and Sodium acetate (No cocaine detected)	White powder, blue bag with black medical symbol in a small pattern	Lidocaine is a numbing agent and Sodium acetate is a food additive
Thurs	MDMA	MDAI	Dark brown/black sparkly crystals	Result of a poor synthesis by an amateur chemist.
Fri	Cocaine	Cocaine and Methamphetamine	White Powder bought onsite	Methamphetamine lasts much longer than cocaine and has a tendency to encourage chronic re-dosing
Fri	MDA	Ketamine	420 Bag sold on-site	Very different effects - this could be a very unpleasant experience for someone. Test your stuff! Dose small.
Fri	Ketamine	Ketamine and Cocaine 50%	White Crystal 8 ball bag	Always check your drugs!

Check us out!

ankorsvolunteer.com

ankors.bc.ca

IG: [@ankorsbc](https://www.instagram.com/ankorsbc)

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Fri	Ketamine	Procaine and a bit of Ketamine	Solid yellow baggy with White Powder	Procaine is a numbing agent and can cause heart arrhythmia
Fri	Cocaine	Cocaine and Baclofen	White powder. Red '420' bags	Baclofen is a muscle relaxant. Combining uppers and downers can cause extra strain on organs
Fri	Cocaine	Non-identifiable (out of thousands of substances in our library)	Clear baggy white powder	This is the second test to come up this way in the past hour. Test before you ingest—don't use alone please <3
Fri	MDMA	60% MDMA 40% Caffeine	Panda Bag leg caps	Mixing uppers, including caffeine, can increase risk.
Fri	Cocaine	35% cocaine, 65% inositol	Batman Bag, fine white powder	This cutting agent has many purposes including to reduce risk of diabetes during pregnancy. It can cause nausea, stomach pain, tiredness, headache and dizziness.
Fri	MDMA	Butylone	White Powder 420 bag bought onsite	Butylone is a synthetic psychedelic. After-effects can last up to 12 hours. Dose small, test before you ingest
Fri	MDMA	MDA	Dark crystals	MDA (also called Sassafras) lasts longer, is considered more stimulating, and is also more neurotoxic than MDMA. Adjust your dose accordingly and always start small.
Fri	Cocaine	Cocaine and sugar	White powder	Cocaine is cut with sugar to bulk up the appearance. Snorting sugar through your nose is not the typical way to consume.
Fri	Ketamine	MDMA	White crystal, black chopper symbol on baggie.	Ketamine and MDMA are very different drugs with different dosage and other concerns. Confusing these two can be very dangerous. High doses of Ketamine produce a catatonic state.
Fri	MDMA	MDMA	Red & Blue gel-cap	This pill made two individuals vomit after ingesting. Nausea is always a possible side effect. We can not be certain there were no other chemicals in this sample under 5% of concentration.
Fri	Cocaine	Procaine (85%), Cocaine (15%)	Baggie with purple ladies.	Procaine is a topical anaesthetic that numbs the mucous membranes like cocaine, but without the psychoactive effects.

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Fri	Cocaine	MDMA	White powder. Blue baggie with black medical symbol.	Cocaine and MDMA are very different drugs with different effects and dosages. Always experiment with a small dose to see how your body reacts.
Fri	Cocaine	Cocaine, caffeine, other unknown adulterant.	White powder	Caffeine potentiates the excitatory effects of cocaine. This combination puts added strain on the heart. Adjust your dosage to compensate, take breaks, and drink water.
Fri	MDMA	MSM, Sucralose, MDMA	Yellow / brown crystals	MSM is a nutritional supplement. Sucralose is an artificial sweetener. Always start with small dosages and proceed carefully to observe your body's reaction. Check your drugs.
Fri	Cocaine	Inositol, Cocaine	White powder	Inositol is a sugar alcohol used to "buff" the appearance of cocaine. Be sure to rinse your nasal cavity with saline solution available at ANKORS.
Fri	2C-B	2CB, 2CI	In a parachute	Similar in effect, 2CI lasts longer (8 hours) compared to 2CB (6 hours). Be sure to adjust your dosage and test a small amount first to see your body's response.
Fri	2C-B	2CB, 25I-NBOME	Gel-caps, sold without a baggie, white powder	NBOMEs are sometimes substituted for LSD, but are toxic, can cause circulatory issues, and have a risk of overdose
Fri	MDMA	MDMA, starch, DXM	Tan crystals, not clear, in a baggie with green \$ sign on it,	DXM is a cough medicine with stimulant, dissociative, and sedative properties—very different from MDMA in dosage & effect.
Fri	MDMA	MDA, MDMA in roughly equal percentage	Dark grey crystals	MDA is more neurotoxic and stimulating than MDMA. Some consider it hallucinogenic. Found in many samples of MDMA.
Fri	Cocaine	Creatine		Dealer used a picture of an ANKORS test result as evidence of quality. This is a scam. Creatine is a body building supplement.
Fri	Cocaine	Cocaine, Lidocaine	White powder in clear baggie.	Lidocaine is a cheap topical anesthetic that simulates the numbness caused by cocaine.

Check us out! ankorsvolunteer.com

ankors.bc.ca

IG: @ankorsbc

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Fri	MDMA	MDA	Brown powder in a 'Canada" bag, green bag with white playboy bunnies, other samples too	MDA lasts longer, is considered more stimulating, and is more neurotoxic than MDMA. Start slow and dose low.
Fri	MDMA	Caffeine and Fenethylamine	Blue Dolphin Pressed Tab	Fenethylamine is a non-FDA approved drug similar to amphetamine. Mixed with caffeine, go slow with this. No MDMA detected at all.
Fri	MDMA	MDMA and PmPP	Grey powder in gel cap	PmPP is a piperazine that tends to cause less anxiety than others, but this sample appeared to have a significant cut (upwards of 40%)
Fri	Ketamine	Ketamine and MSM	Orange baggie	MSM is a nutritional supplement used as a buffering agent.
Fri	MDMA	MDMA, Cellulose	Yellow transformer press pill	Cellulose is a polysaccharide found in plant matter and is used as a buffering agent.
Fri	MDMA	MDMA, MDEA	Unknown	MDEA can cause unpleasant side effects like muscle rigidity, sweating, fainting, hyperthermia, convulsions, and racing heart rate.
Fri	MDMA	MDMA, Mannitol	Unknown	Mannitol is a sugar alcohol that is used to buff the weight of a drug.
Fri	MDMA or MDA	The opposite	Sold in a number of forms	Repeated tests of MDMA are yielding MDA and vice versa. Please check your drugs. Our team can teach you about the differences.
Fri	Cocaine	Cocaine (20% roughly), Noroxymorphone	White powder	Noroxymorphone is an opioid with only minimal pain-killing effects.
Fri	MDA or MDMA	Ketamine	White baggie in clear baggie with pot leaves.	Ketamine and MDMA are different drugs with different dosage levels. It is always smart to sample a small amount of any new drug.
Sat	MDMA	Caffeine and Methamphetamine	White rectangular shaped press pill imprint RAGE	No MDMA, mixing stimulants increases the risk of overdose and unpleasant side effects. Come ask for more information
Sat	MDMA	MDA	Pressed Tab with lightning bolt, in black bag with gold skulls	MDA is more potent than MDMA. Start small, come talk to us for more info.
Sat	Ketamine	Ketamine and Methamphetamine	Crystal crushed to white powder, found in Edmonton	Not the combo you intended? Combining drugs increases risk of overdose. Come see our drug combo chart for more information.

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Sat	MDMA	Ketamine	Clear baggy w/ orange basketballs - white crystals	We have found MDMA substituted for ketamine several times. Check your drugs.
Sat	MDMA	MDMA and Mannitol	White powder in gel caps	Mannitol is used as a sweetener but is also a diuretic - will make you pee lots and can cause dehydration!
Sat	MDA	No result - definitely not MDA	Yellow/orange crystals in gel caps	Bought onsite and the spectrum machines could not identify anything in powder. Get your drugs Checked!
Sat	MDMA	Tyrosine, Caffeine, minimal MDMA present	White powder in gel caps, 420 Baggy	Tyrosine is taken as a supplement to improve alertness, attention and focus. It is a protein building block found in high protein foods or sold as a supplement.
Sat	MDMA	Caffeine, Fenethylamine, Methamphetamine	White pressed rectangle	Fenethylamine also called Captagon has been a popular drug in the middle east, where sale of it has been a matter of political import in conflict areas.
Sat	MDMA	Gravel	Looked like a bunch of rocks	Some times drugs look like dirt, sometimes dirt looks like drugs. If you aren't sure, come in and get it tested.
Sun	2CB	2CB and 25i NBOME	Tan powder in a gel cap	25i has a high risk of overdose. Acute toxicity and fatalities have occurred. Dose VERY carefully or dispose safely here.
Sun	Groundfind	Sucrose (sugar)	Yellow, homer simpson Gell gap	White sugar. Highly addictive. Relatively benign. Arguably not a drug.
Sun	Ketamine	Ketamine and wheat flour	White powder in clear bag	This ketamine is not gluten free.
Sun	MDMA	Cocaine with potential fentanyl spectra.	Red Baggie, white powder	This sample tested negative for fentanyl with our dip test, but possible positive result with spectrometry—possible false positive. Talk to us about our testing limitations.
Sun	MDMA	Phenylephrine	Brown crystals	Phenylephrine is an over-the-counter nasal decongestant that can cause unpleasant side effects at higher doses.
Sat	Cocaine	More acetaminophen (Tylenol) than Cocaine	White Powder	Mixing drugs increases risks, including with pharmaceutical drugs.

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Sun	MDA	Lactose and MDA	White press tab	If you're vegan or intolerant in lactose this could be an issue. Come check your drugs at ANKORS!
Sun	LSD	Positive for Indole - strange reaction pattern, may have other ingredients.	Red Blotter with design	Reported very bad trip. If you had a weird experience we can send weird things to a fancier lab.
Sun	MDMA	MDMA and Safrole	Brown / Pink Crystals	Safrole is typically extracted from the fruit of sassafras. It is used as a natural pesticide and is carcinogenic. Safrole is present in this sample because of a poor synthesis.
Sun	Cocaine	MDMA and TFMPP	Black 8-Ball bag, white powder	Truth: unless you really, really know your source, if you haven't checked what's in your bag, you have no idea.
Sun	Ketamine	Ketamine, Dimethylsulfone, Water, Carbohydrate	Purple crystals	Dimethylsulfone or MSM is a dietary supplement that is generally considered safe by FDA.
Sun	MDMA	MDMA and Pentylone	White powder in clear baggie	Pentylone is a substituted cathinone described as similar to MDMA. Limited research available. Psychiatric concerns at high doses. Pronounced cardiovascular effects.
Sun	Ketamine	Phencyclidine (PCP)	Powder	PCP is a dissociative with a reputation for strong and unpredictable effects. Sample brought by medical team.
Sun	Cocaine	Cocaine with ephedrine	Green baggie with playboy bunny	Mixing cocaine with other stimulants like ephedrine can be dangerous for your heart.
Sun	Unknown	MDMA and Quinine	Beige powder in gel caps in large clear baggie	Quinine is used to treat Malaria. Common side effects include headache, ringing in the ears, trouble seeing, and sweating.
Sun	MDMA	Procaine	Beige powder in a sandwich bag	Procaine or "Novacaine" is a local anesthetic commonly used at the dentist.
Sun	MDMA	MDMA and Pentylone	Unknown	Pentylone is a stimulant. Side effects can include paranoia, agitation, and inability to sleep, which can last for days at high doses.

Check us out!

ankorsvolunteer.com

ankors.bc.ca

IG: [@ankorsbc](https://www.instagram.com/ankorsbc)

DAY	EXPECTED	ACTUAL RESULT	SAMPLE DESCRIPTION	WHAT YOU SHOULD KNOW
Sun	Cocaine	Timolol, Methylpentane and Cocaine	Clear baggie. Red '4:20'.	Timolol is a blood pressure medication. Can cause tiredness, slow heartbeat, itchiness, and shortness of breath. Methylpentane is leftover solvent from extraction
Sun	MDMA	P-Tyrosine, MSM, and Caffeine	White powder, small caps, in a '420' baggie	Contained no MDMA. Just fillers. Tyrosine is taken as a supplement to improve alertness, attention and focus.
Sun	MDMA	MSM, MDA, and MDMA	Dark brown powder in gel caps	MSM is a nutritional supplement. Always start with small dosages and proceed carefully to observe your body's reaction. Check your drugs.
Sun	Cocaine	Cocaine, Phenacetin, and Pseudoephedrine	White powder	Phenacetin is an analgesic (fever and pain reliever) and pseudoephedrine is a decongestant and stimulant..
Sun	MDMA	Cialis and Cellulose. No MDMA compounds.	Blue Lady pill	Cialis is an erectile dysfunction medication. Side effects may include upset stomach, headaches, flushing, and diarrhea.
Sun	MDMA	Approx 30% TFMPP and 70% MDMA	Grey/purple crystal	MDMA cut with piperazine can cause unpleasant effects. Check info table for piperazine info.
Sun	MDMA	MSM	Small caps, white powder	MSM is a nutritional supplement. Always start with small dosages and proceed carefully to observe your body's reaction. Check your drugs.
Sun	Mescaline	Unidentified plant material with trace amount of mescaline.	Large capsule	See info table for mescaline info.
Sun	MDMA	Starch, cornstarch, ergosterol	Yellow transformer pill	Ergosterol is a skin and eye irritant, and can cause hypercalcemia in large doses. Check your drugs!
Sun	DMT	5-MEO-DMT	Yellow crystals	5-MEO-DMT is a research chemical (substituted tryptamine) with little known about effects on humans. Using a scale is really important with research chemicals.

Check us out!

ankorsvolunteer.com

ankors.bc.ca

IG: [@ankorsbc](https://www.instagram.com/ankorsbc)